About Us



1968

established since



293 M€

80

2023 revenue

countries



70 million m²

of Reinforced Earth® walls



+100.000

structures around the world



102,8 m

tallest structure

As global specialist we operate as **designer** and **supplier** of civil engineering solutions that **Retain, Cross, Protect and Strengthen**. As the **inventor of the Reinforced Earth® solution**, our strength is the result of an **unrivalled combination of expertise with over 60 years of experience** in the fields of **soil-structure interaction** and **engineered backfills**.

Geoquest delivers its leading technologies to serve clients' projects, from the simplest to the most extraordinary. Guided by our focus on innovation and our culture of excellence in client care, we offer durable solutions. We build on our global expertise, which is applied by our local companies to develop new applications to address challenges and ensure sustainability of our solutions.

Watch our Retain, Cross, Protect, Strengthen video.



Engineering expertise, innovation and excellence in client care to deliver sustainable solutions.





Publication: January 2025

Geoquest | 5090 Explorer Drive, Suite 400, Mississauga, ON L4W 4T9 | Tel: +1 (905) 564-0896

©2025 Soletanche Freyssinet – The text, photos and other information contained in this catalogue are the property of the Soletanche Freyssinet Group.

Any reproduction, display or other use without the prior consent of Soletanche Freyssinet is prohibited. Soletanche Freyssinet promotes the use of paper pulp from sustainably managed forests. If provided in print format by Geoquest, the paper used in this catalogue is certified in accordance with the stringent rules of the PEFC (Program for the Endorsement of Forest Certification).









GeoMega®

The fully synthetic solution

Implemented for the first time in June 2005 on a traffic roundabout in Morzine (Haute Savoie, France) and protected by patents, the GeoMega® system allows a direct connection between the concrete panel and the synthetic reinforcing strips.

The connection is realized with a sleeve shaped like the Greek letter Ω which is partially cast into the concrete panel during prefabrication. The shape of this plastic sleeve ensures an optimal anchorage into thin panels and constitutes a barrier, avoiding any direct contact between the synthetic reinforcing strips and the concrete panels. The strips are threaded into the sleeves during the erection of the structure. The reinforcement type is adapted according to the project specifications:

- GeoStrap® strip (polyester yarns PET)
- EcoStrap[™] strip (polyvinyl alcohol yarns PVA)

The GeoMega® system is fully compatible with the entire range of concrete panels typically supplied by Geoquest. The elements making up the system are subject to rigorous specifications and quality control.





Technical rigour

In order to evaluate the system's performance, numerous strength tests were carried out on GeoMega® panels. Friction of the synthetic strip was verified through both in-situ and laboratory tests using calibrated extraction systems.

Geoquest is fully committed to research into the sustainability of its solutions. The structural design incorporates the most up-to-date knowledge available on durability of the materials employed.



Great flexibility in terms of implementation

With specialized engineering & design departments, Geoquest offers its customers tailor-made GeoMega® solutions using proven methods similar to those used for other Reinforced Earth® solutions. Reinforced Earth® structural design is in compliance with current national and international standards. The GeoMega® construction method is similar to that of traditional Reinforced Earth® structures.

- The first row of panels is installed on a well-leveled concrete pad.
- This first row is braced directly to the ground to prevent movement during placement of the backfill.
- The panels of the upper rows are installed as the backfill is placed.
- Once installed, each level of reinforcement is vertically spaced 70 to 80 cm apart, which corresponds to a multiple of the backfill layer thickness.
- The backfill is placed using traditional earth-moving machines.













Improved environmental accountability

The GeoMega® system allows retaining structures to be constructed in chemically aggressive environments (marine environments, corrosive backfilling materials, recycled aggregates, pollution risks, infiltration of deicing salts, etc.). By the nature of its design, the GeoMega® connection itself is not a factor in the durability of the structure. The only decisions that must be made are determining the most appropriate type of synthetic reinforcement for the environment and the desired service duration of the structure.



GeoStrap® strip










HA GeoStrap® strip



The Reinforced Earth® technique, a major innovation

Recognized as **a major innovation in the field of civil engineering**, the Reinforced Earth® technique provides numerous structural solutions for owners and contractors ranging from retaining walls to bridge abutments.

As the world leader in mechanically stabilized earth, Geoquest has a presence in five continents, and benefits from both local and international expertise.



This wealth of expertise has led Geoquest to develop processes offering common advantages:

- Reliable and sustainable materials
- Savings in terms of time and resources
- Capacity to adapt to complex situations
- Integration into the environment, in particular due to an extensive range of panel finishes

The Reinforced Earth® technique has revolutionized structural design and is applicable for all kinds of structures:

- Road
- Railway
- Marine and waterway
- Industrial and protective

